## MAGARI









48" x 48" Field Tile in Blue Roma 63" x 126" Slab in Blue Roma

### **AVAILABLE STOCKED ITEMS:**

SIZE	FINISH		COLORS
4" × 12"	Matte		Taj Mahal   Blue Roma
12" x 12"			Taj Mahal   Blue Roma
12" x 24"			Taj Mahal   Blue Roma
24" × 48"			Taj Mahal   Blue Roma
48" × 48"			Taj Mahal   Blue Roma
Omm Mosaics -	Rectified Edge		
SHEET SIZE	ТҮРЕ	FINISH	COLORS
12" x 12"	2″ x 2″ Square	Matte	Taj Mahal   Blue Roma
12" x 12"	Hexagon	Matte	Taj Mahal   Blue Roma

### **SPECIAL ORDER ITEMS:**

12mm Slab - Slab - Rectified Edge				
SIZE	FINISH	COLORS		
63" x 126"	Matte	Taj Mahal   Blue Roma		
		All Sizes are Nominal.		

# MADE TO ORDER FIELD TILES AND MOSAICS: Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer. We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD	CUBES		
	Any 24″ field tile can be cut down to a smaller size in any		
	length and width	BRICKS	
	combination with a 1" minimum.		
FIELD SHAPES*		CHEVROI	
Half Hexagon	6.7" Base		
Diamond	4″		
		OCTAGO	
Hexagon	6"		
Chevron	2"x12" 6"x24"		
TRAPEZO	SQUARE		
	4″x2¹/2″ w/ ⁵/8″ Dot		

\*Other sizes available upon request.

S	BASKETWEAVE		
2" 4"		1³/8″x3″ 2″x4″	
(S	DIAMONDS		
1″x2″ 1″x3″ 1³/ <sub>8</sub> ″x3″ 2″x4″		2"	
ONS	HERRINGBONE		
2"x12"		1"x2" 2"x4" <sup>5</sup> /8"x4"	
ONS	HEXAGONS		
2" w/ 0.6" Squares		1 <sup>1</sup> /8" 2"	
ES	RECTANGLES		
1″x1″ 2″x2″ 1³/ <sub>8</sub> ″x1³/ <sub>8</sub> ″ 3″x3″		1"x2" 1"x4"	

### **COLORS:**




Blue Roma

#### MOSAICS



Blue Roma 2" x 2"



Blue Roma Hexagon



Taj Mahal



Taj Mahal 2" x 2"



Taj Mahal Hexagon

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.



Features	Test Method	Blue Roma	Taj Mahal	
Straightness of Sides		+/-1.50		
Rectangularity		+/-2.00		
Surface Flatness	ISO 10545-2	+/-2.00		
Surface Quality		Min. 95% of surface free of visible defects		
Warpage	ISO 10545-2	Compliant		
Water Absorption	ISO 10545-3	< 0.2%		
Modulus of Rupture / Bending Strength	ISO 10545-4	> 45 N/mm <sup>2</sup>		
Breaking Strength	ISO 10545-4	> 1300 N		
Resistance to Surface Abrasion	ISO 10545-6	Class 4		
Coefficient of Linear Thermal Expansion	ISO 10545-8	< 7 x 10 <sup>-6</sup> K <sup>-1</sup>		
Thermal Shock Resistance	ISO 10545-9	Resistant		
Crazing Resistance	ISO 10545-11	Resistant		
Frost Resistance	ISO 10545-12	Resi	Resistant	
Chemical Resistance (Domestic)	ISO 10545-13	GA		
Chemical Resistance (Low Concentration)		GLA		
Chemical Resistance (High Concentration)		GHA		
Stain Resistance	ISO 10545-14	Class 5		
DCOF (WET)	ANSI A326.3	0.51	0.49	
Recycled Material	-	16%		
VOC Emissions	-	Zero VOC		
	This product will contribute to It will also contribute to the ANSI approve			

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.



#### Product Info:

- Porcelain Tile
- Matte Finish •
- 10mm Thickness ٠
- Rectified Edge
- PEI Reating = 4
- V2 Slight Variation ٠
- Frost Resistance = Yes
- Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



#### MAGARI Porcelain Tile



www.genrose.com

#### www.genrose.com

