

MELANGE

 GENROSE

For more product information, scan the QR code.





24" x 24" Field Tile in Melange Cream
1-3/8" x 3" Basketweave Mosaic in Chroma Red with Melange Cream Dot



24" x 24" Field Tile in Cream



2" x 2" Mosaic in Leaf



24" x 24" Field Tile in Melange White
1-3/8" x 3" Basketweave Mosaic in Chroma Star Black + Star White with Melange White Dot

AVAILABLE MELANGE STOCKED ITEMS:

9mm Field Tiles			
SIZE	FINISH		COLORS
24" x 24"	Matte		White Cream Leaf Sugar
9mm Mosaics			
SHEET SIZE	TYPE	FINISH	COLORS
12" x 12"	2" x 2"	Matte	White Cream Leaf Sugar
12" x 12"	5/8" x 4" Herringbone Mosaic	Matte	White Cream Leaf Sugar
12" x 12"	1-3/8" x 3" Basketweave	Matte	White Cream Leaf Sugar

AVAILABLE STOCKED MIXED MOSAICS ITEMS:

9mm Mosaics			
SHEET SIZE	TYPE	FINISH	COLORS
12" x 12"	1-3/8" x 3" Basketweave Mosaic	Matte	Chroma Black & White (Star Black + Star White) w/Melange White Dot Chroma Red (Pale Red + Lava Red) w/Melange Cream Dot Chroma Green (Jade Green + Forest Green) w/Melange Cream Dot Chroma Blue (River Blue + Ocean Blue) w/Melange Sugar Dot


















All Sizes are Nominal.

MADE TO ORDER FIELD TILES AND MOSAICS:


Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 3/8" x 3" 2" x 4"
			BRICKS 1" x 2" 1" x 3" 1 3/8" x 3" 2" x 4"		DIAMONDS 2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
	Half Hexagon 6.7" Base		2" x 12"		1" x 2" 2" x 4" 5/8" x 4"
	Diamond 4"	OCTAGONS		HEXAGONS	
	Hexagon 6"		2" w/ 0.6" Squares		1 1/8" 2"
	Chevron 2" x 12" 6" x 24"	SQUARES		RECTANGLES	
	Trapezoid w/ Dot 4" x 2 1/2" w/ 5/8" Dot		1" x 1" 1 3/8" x 1 3/8" 2" x 2" 3" x 3"		1" x 2" 1" x 4"


*Other sizes available upon request




White



Cream




Leaf




Sugar

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.


2" x 2" MELANGE MOSAICS:




White



Cream



Leaf



Sugar

5/8" x 4" MELANGE HERRINGBONE MOSAICS:



White



Cream




Leaf



Sugar

1-3/8" X 3" MELANGE BASKETWEAVE MOSAICS:




White



Cream




Leaf




Sugar


CHROMA I MELANGE MIXED BASKETWEAVE MOSAICS:



Chroma Black & White
w/Melange White Dot
(Star Black + Star White)



Chroma Red
w/Melange Cream Dot
(Pale Red + Lava Red)



Chroma Green
w/Melange Cream Dot
(Jade Green + Forest Green)



Chroma Blue
w/Melange Sugar Dot
(River Blue + Ocean Blue)

Features	Test Method	Value
Length and Width	ISO 10545 - 2	±0.9
Thickness		±0.5
Linearity		±0.75
Wedging		±0.75
Warpage		±0.75
Water Absorption	ISO 10545 - 3	E ≤ 0.5%
Modulus of Rupture	ISO 10545 - 4	≥ 35 N/mm ²
Breaking Strength		≥ 1300 N
Impact Resistance	ISO 10545 - 5	0.87
Abrasion Resistance	ISO 10545 - 7	2 - 4
Coefficient of Linear Thermal Expansion	ISO 10545 - 8	6.5 x 10 ⁻⁶ /°C
Thermal Shock Resistance	ISO 10545 - 9	Resistant
Moisture Expansion	ISO 10545 - 10	0.1 mm/m
Crazing Resistance	ISO 10545 - 11	Resistant
Frost Resistance	ISO 10545 - 12	Resistant
Resistance to Chemicals	ISO 10545 - 13	Min Class B
Resistance to Staining	ISO 10545 - 14	Min Class 3
Reaction to Fire	ISO 10545 - 15 UNI EN ISO13501/1	Class A1-A1 _{FL}
Slip Resistance	DIN 51130	R10
	ANSI DCOF A137.1-2012	0.64
Low Emissions Material • Zero VOC		

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Porcelain Tile
- Matte Finish
- 9mm Thickness
- Rectified Edge
- PEI Rating = 4
- V2 - Slight Shading Variation
- Frost Resistance = Yes





www.genrose.com