SAN MARINO









Herringbone Mosaic in Sapphire


Herringbone Mosaic in Sapphire





Chevron Mosaic in Fawn





Herringbone Mosaic in Cloud Basketweave Mosaic in Frost and Black Bubble Mosaic in Mix 2

AVAILABLE STOCKED ITEMS:

10mm Cerami	ic Tile			
SIZE	FINISH		COLORS	
2.25" x 4.5"	Gloss		Slate Blue Grass Cloud Dove Fawn Snow	
4.5" x 4.5"	Gloss		Slate Blue Grass Cloud Dove Fawn Snow	
2.25" x 8.5"	Gloss		Sapphire Slate Seafoam Smeralda Colonial Blue Blue Grass Sage Sky Smoke Cloud Dove Fawn Pearl Frost Snow	
4.5" x 8.5"	Gloss		Slate Blue Grass Cloud Dove Fawn Snow	
10mm Cerami	ic Corduroy Wa	II Deco		
SIZE	FINISH		COLORS	
4.25" x 8.5"	Gloss		Slate Blue Grass Cloud Dove Fawn Snow	
6mm Enamel	Glass Mosaics			
SHEET SIZE	TYPE	FINISH	COLORS	
11.8" x 11.8"	Hexagon	Matte	Sapphire Slate Seafoam Smeralda Colonial Blue Blue Grass Sage Sky Smoke Cloud Dove Fawn Pearl Frost Black	
11" × 11.7"	Herringbone	Gloss	Sapphire Slate Seafoam Smeralda Colonial Blue Blue Grass Sage Sky Smoke Cloud Dove Fawn Pearl Frost	
11.5" x 11.5"	Chevron	Matte	Sapphire Slate Seafoam Smeralda Colonial Blue Blue Grass Sage Sky Smoke Cloud Dove Fawn Pearl Frost	
11.25" x 11.25"	Basketweave	Matte w/Gloss Dot	Pearl w/Fawn Dot Frost w/Black Dot Frost w/Cloud Dot Frost w/Sapphire Dot Frost w/Sky Dot	
11.5" x 11.5"	Cube	Matte	Cube 1 (Frost/Pearl/Fawn) Cube 2 (Frost/Smeralda/Seafoam) Cube 3 (Dove/Cloud/Smoke) Cube 4 (Frost/Blue Grass/Slate) Cube 5 (Frost/Charcoal/Black) Cube 6 (Frost/Sage/Colonial Blue	
11.3" x 11.3"	Bubble	Matte	Mix 1 (Frost/Smeralda/Seafoam) Mix 2 (Frost/Dove/Cloud) Mix 3 (Frost/Pearl/Fawn)	
Ceramic Trim	Pieces	·		
SIZE	TYPE	FINISH	COLORS	
2" x 8.5"	Molding			
.75" x 8.5"	Pencil	Gloss	Sapphire Slate Seafoam Smeralda Colonial Blue Blue Grass Sage Sky Smoke Cloud Dove Fawn Pearl Frost Snow	
.625" x 8.5"	Quartino			

⁻ All sizes are NOMINAL





Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

HERRINGBONE MOSAIC



CHEVRON MOSAIC



CUBE MOSAIC




Cube #1 Pearl, Frost, and Fawn

Cube #2 Smeralda, Frost, and Seafoam




Cube #3 Dove, Smoke,


and Cloud



Slate, Frost, and Blue Grass




Black, Frost, and Charcoal



Cube #6 Sage, Frost, and Colonial Blue

BASKETWEAVE MOSAIC



Pearl and Fawn


Frost and Sky

Frost and Cloud


Frost and Black

Frost and Sapphire

HEXAGON MOSAIC



BUBBLE MOSAIC



CORDUROY DECO



Pearl



Frost

Snow







Features	Norms	Fixed Value
Break Strength	ASTM C648-04 - ANSI A 137.1	521 lbf
Chemical Resistance Class	ANSI A137.1/A137.2	Class A

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Ceramic Tile
- Glossy Finish
- 10mm Thickness
- Pressed Edge
- PEI = 5 Heavy Commercial (Snow in Gloss Finish Only)
 Wall and Light Duty Floors (Light Colors in Gloss Finish)
 (Dark Colors will show scuffs if placed on floor)
- Frost Resistance = No







Features	Norms	Fixed Value
Facial Defects	ANSI A 137.27.1	Complied
Structural Defects	ANSI A 137.2 7.1	Complied
Thickness	ASTM C499	.43mm
Nominal Size	ASTM C499	-2.54%~-0.04%
Caliber Range	ASTM C499	-1.10%~+1.14%
Static Coefficient of Friction	ASTM C1028	Dry: 0.83 Wet: 0.61
Dynamic Coefficient of Friction	Refer to ASTM C1028	Dry: 0.60 Wet: 0.55
Water Absorption	ASTM C373	0.03%~0.05%
Chemical Resistance	ASTM C650	Not affected
Chemical Resistance Class	ANSI A 137.2 5.2.3.5	Class A
Stain Resistance	ASTM C1378	Not affected
Stain Resistance Class	ANSI A 137.2 5.2.3.6	Class A
Linear Thermal Expansion	ASTM C372	N/A
Moisture Expansion	ASTM C370	N/A
Thermal Shock Resistance	ANSI A 137.2 7.9	Resistant
Frost Resistance	ASTM C1026	Resistant

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Enamel Glass Mosaics
- Matte | Gloss Finishes
- 6mm Thickness
- Frost Resistance = Yes
- V1 Uniform Appearance
- Light Commercial + Residential Applications = Suitable for Interior Floors | Interior/Exterior Walls | Indoor and Outdoor Pools





www.genrose.com