SPIRIT









48"x 48" Field Tile in Ink 48"x 110" Dusk Wall Deco in Spice 24"x24" Field Tile in Levity 48"x110" Wall Deco in Ink

17





4"x24" Wall Tile in Levity 24"x24" Field Tile in Chimney 48"x110" Hoop Wall Deco in (A+B)

AVAILABLE IN:

9mm Field T	ïles				
SIZE	FI	NISH	COLORS		
2" × 8"	S	oft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
4" × 24"	S	oft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
4" × 24"	M	atte	Candle Glare Levity Wing Manor Plume Chimney		
12" x 24"	Soft		Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
12" x 24"	M	atte	Candle Glare Levity Wing Manor Plume Chimney		
24" × 24"	S	oft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
24" × 24"	M	atte	Candle Glare Levity Wing Manor Plume Chimney		
24" × 48"	S	oft	Candle Glare Levity Wing Manor Spice Verve Ink		
24" x 48"	M	atte	Candle Glare Levity Wing Manor		
32" x 32"	Soft	Matte	Candle Glare Levity Wing Manor		
48" × 48"	Soft	Matte	Candle Glare Levity Wing Manor		
20mm Paver					
SIZE	FI	NISH	COLORS		
24" x 24"	Stru	ctured	Levity Wing Plume		
6mm Slab					
SIZE	FI	NISH	COLORS		
48" x 110"	M	atte	Glare Levity Wing		
6mm Wall D	ecos				
SIZE	SLAB TYPE	FINISH	COLORS		
48" x 110"	Dusk Deco	Matte	Spice Verve		
48" x 110"	Hoop Deco (A+B)	Matte	Mixed		
48" x 110"	Reed Deco	Matte	Mixed		
48" x 110"	Coordinating Solids For Decos	Matte	Spice Verve Ink		
9mm Mosai	cs				
SHEET SIZE	ТҮРЕ	FINISH	COLORS		
12" x 12"	2"x2" Mosaic	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
12" x 12"	Basketweave Mosaic	Soft	Candle w/ Spice Dot Candle w/ Wing Dot Candle w/ Verve Dot Glare w/ Ink Dot Levity w/ Chimney Dot		
9mm Trim Pi	ieces				
SHEET SIZE	ТҮРЕ	FINISH	COLORS		
3" × 24"	Bullnose	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
13" x 48"	Step Tread	Soft	Candle Glare Levity Wing Manor Spice Verve Ink		
13" x 48"	Step Tread	Matte	Candle Glare Levity Wing Manor		
13" x 24"	Step Tread	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
13" x 24"	Step Tread	Matte	Candle Glare Levity Wing Manor Plume Chimney		
	Store Tread Corner	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney		
13" x 13"	Step Tread Corner	3011	Candle Glare Levity Wing Marior Flame Spice Verve Ink Chinney		



Candle



Wing



Spice



Chimney

Glare



Manor



Verve









Levity



Plume




Ink




2"X2" MOSAIC

DUSK DECOS




Glare



Wing



Manor



Chimney





BASKETWEAVE MOSAIC



Plume



Spice

Candle | Verve

Verve



Ink






COORDINATING SOLIDS FOR DECOS




Verve

24"x48" Field Tile in Levity | Ink 48"x48" Field Tile in Levity

HOOP DECO



Deco A



Deco B



REED DECO



Ink



48"x110" Reed Wall Deco

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer. We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any		2" 4"		1 ³ /8″×3″ 2″×4″
	length and width	BRICKS		DIAMONDS	
	combination with a 1″ minimum.		1"x2" 1"x3" 1³/8"x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"
Diamond	4″				⁵ / ₈ "x4"
		OCTAGONS		HEXAGONS	
Hexagon	6" 2"x12"		2"		11/8″
Chevron	6"x24"		w/ 0.6" Squares		2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 ¹ /2" w/ ⁵ /8" Dot		1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"

*Other sizes available upon request



Features	Test Method	Va	Value		
reatures		Soft Matte	Stru	ictured	
Thickness	ISO 10545-2	6mm - 9mm	20	20mm	
Water Absorption	ISO 10545-3	≤ (≤ 0.1%		
Bending Strength		Conforms	1	N/A	
Breaking Strength	ISO 10545-4	Sps ≥ 7.5 mm S ≥ 1300 N	> 10),000	
Abrasion Resistance	ISO 10545-6	Conforms			
Coefficient of Linear Thermal Expansio	ISO 10545-8	> 7 (10-6 °C-1			
Thermal Shock Resistance	ISO 10545-9	Resistant			
Expansion in Humidity	ISO 10545-10	≤ 0.1 (mm/m)			
Frost Resistance	ISO 10545-12	Resistant			
Chemical Resistance (Domestic)	ISO 10545-13	A			
Chemical Resistance (Low Concentration)		LA			
Chemical Resistance (High Concentration)		НА			
Stain Resistance	ISO 10545-14	Cla	Class 5		
Slip Resistance	ANSI A326.3	DCOF Soft	Matte 0.74	Structure 0.80	
Recycled Content	-	20% Excludes Candle, Glare and Decos			
Declare	-	Red List Free			
VOC Emissions -		Zero VOC			

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Wall Deco Installation Instructions: When laying the material it is recommended not to use mechanical leveling systems, which could cause damage to the surface when removed. Before grouting wall decos, it is advised to protect the surface in the parts near the edge with masking tape. Cement-based, not epoxy-based, grouts must be used. Immediately after grouting, remove any residues with water and a soft cloth, without using abrasive sponges.

Cleaning and Maintenance Wall Decos: For ordinary cleaning, avoid abrasive products that could damage the surface. Cleaning with a soft cloth and neutral PH products is recommended to avoid dulling or scratching.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
- Rectified Edge
- Matte | Soft | Structured Finishes V2 Slight Shading Variation
- 6mm | 9mm | 20mm Thicknesses Frost Resistance = Yes
- Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.

SPIRIT Color Body Porcelain Tile



www.genrose.com



www.genrose.com