# TREMOLO









12" x 24" Field Tile in Nero

### AVAILABLE STOCKED ITEMS:

7.5mm Field Tiles - Pressed Edge							
SIZE	FINISH		COLORS				
12" x 24"	Natural		Bianco   Crema   Olive   Nero				
7.5mm Mosaics - Rectified Edge							
SHEET SIZE	TYPE	FINISH	COLORS				
12" x 12"	2″ x 2″ Mosaic		Bianco   Crema   Olive   Nero				
12" x 12"	Basketweave Mosaic	Natural	Bianco + Nero Dot   Crema + Olive Dot				

All Sizes are Nominal.

## COLORS:



Bianco

(



MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.


This represents a small portion of the mosaic patterns we offer. We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to		2" 4"		1³/8″x3″ 2″x4″
	a smaller size in any length and width	BRICKS		DIAMONDS	
	combination with a 1″ minimum.		1"x2" 1"x3" 1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"
🔿 Diamond	4″			~\Y\Y\>	<sup>5</sup> / <sub>8</sub> "x4"
		OCTAGONS		HEXAGONS	
Hexagon	6"		2"		11/ //
Chevron	2"x12" 6"x24"		w/ 0.6" Squares		1 <sup>1</sup> / <sub>8</sub> " 2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 <sup>1</sup> / <sub>2</sub> " w/ <sup>5</sup> / <sub>8</sub> " Dot		1"x1" 2"x2" 1 <sup>3</sup> / <sub>8</sub> "x1 <sup>3</sup> / <sub>8</sub> " 3"x3"		1″x2″ 1″x4″


\*Other sizes available upon request

Olive

2" x 2" MOSAIC



**BASKETWEAVE MOSAIC** 



Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

#### Crema

#### Nero



Olive




Nero



**Crema with Olive Dot** 







Features	Value				
Water Absorption	≤ 0.5%				
Frost Resistance	Resistant				
Chemical Resistance	Class A				
Stain Resistance	Class A				
Mohs Hardness	7				
Slip Resistance	<b>Test Method</b> ANSI A326.3	DCOF 0.45			
Health Product Declartion	clartion Available				
Declare	Red List Free				
VOC Emissions	Zero VOC				
Control Contro					

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. If the spec listed is over the minimum standard, it will meet the requirement.

#### **Product Info:**

- Color Body Porcelain Tile
- Natural Finish •
- 7.5mm Thickness ٠
- Pressed Edge •
- V2 Slight Shading Variation
- Frost Resistance = Yes

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.

### TREMOLO Color Body Porcelain Tile





www.genrose.com



www.genrose.com